



# CURRAVET PHARMA

C A R E   W I T H   C U R A



## CONTACT

CEO : +91 9756115156  
REGULATORY : +91 9528805313  
MARKETING MANAGER : +91 9997847202

MANAGING DIRECTOR : RUCHI KAUSHAL

[WWW.CURAVETPHARMA.COM](http://WWW.CURAVETPHARMA.COM)



**CURAVET PHARMA**  
**PRODUCTLIST**

**HOSPITAL**  
**EQUIPMENTS**  
**LIST**



# CURAVET PHARMA

## Rectangular Horizontal Autoclave

**MODEL NO.: CP-SSHR-450**

### DESCRIPTION

- ➔ Construction Robust and rugged all weld construction which is leakproof, unlike riveted construction. The inner chamber is made of a thick plate of Mild Steel of non-magnetic stainless-steel of 304/316 quality, and the jacket is made from rolled steel. Ge
  - ➔ Sterilizers will have a single door made from rolled steel lined with STAINLESS STEEL sheet on both sides.
  - ➔ All the sterilizers are hydraulically tested to withstand 2.5 times the working pressure.
  - ➔ The steam jacket is lined on the outer side with an asbestos sheet or glass wool which prevents heat losses due to radiation and is covered by strong rolled steel sheet duly painted.
  - ➔ Boiler Made of thick stainless-steel plate suitably located under the sterilizer. High-grade Ranged type heating elements are fitted from the water front side for easy replacement / repair.
  - ➔ Fitted with water gauge glass for water level, safety valve, water inlet, and the drain valves.
  - ➔ It is also provided with a Low Water Level cut-off device. This device protects the heater in the generator
  - ➔ All units are hydraulically tested up to 40psi.
  - ➔ Drain valve is Fitted at the side bottom for easy draining/cleaning.
  - ➔ Triple walled with Steam Jacket and Separate Boiler. The sterilization cycle is controlled by Multi port Valve.
- The unit is fitted with all standard accessories.
- ➔ To work on 440volts 3 Phase A.C. Supply.
  - ➔ The steam pressure in the boiler is indicated on an individual pressure gauge. Safety Lock for Door
  - ➔ ➔
- Every horizontal rectangular sterilizer is fitted with a SELF-LOCKING SAFETY DOOR, which cannot be opened when the chamber is under pressure. The sterilizer is provided with triple safety.
- ➔ Unit is also fitted with Low-Water Level Cut-OFF device and automatic pressure control device.
  - ➔ Fitted with a vacuum breaker to break vacuum in case of formation of vacuum due to steam condensation.



# CURAVET PHARMA

## AUTOCLAVE CYLINDRICAL HORIZONTAL (SEMI AUTOMATIC)

**MODELNO. : CP-SSHC-150**

### **APPLICATION**

we have Comprehensive range of horizontal autoclave.Cylindrical Horizontal autoclave will be front loading and in Horizontal shape with triple layer with bolier.These high pressure front loading autoclave play important role in sterilization procedure required in hospital pharmaceutical companies ,biopharma and microbiology laboratories etc.

horizontal autoclave units are made of stainless steel to ensure corrosion resistance surface.Triple walled construction ensure excellent level of safety.Boiler is fitted separately and connected to the chamber.The boiler with automatic low water cut-off.



### **TECHINCAL SPECIFICATIONS**

Model	CP-SSHC-150
Design	Cylindrical Horizontal Type
Construction	Triple Valve
Valve for Jacket to chamber transfer, chamber release and for post vaccum or dry mode	Use Heavy duty multi port Valve
Self steam generator System	SS 304 Boiler with heater
Pre -Vaccum or high Vaccum	YES
Water In boiler	Distilled/ Normal Water
Heater	Industrial Immersion types water heater
Working pressure	Variable 15 to 34 PSI
Working Temperature	121'C (up graded up to 135'C)
Internal Chamber	Corrosion Resistant Stainless SS 304 and 316 is customise
External Jacket	Corrosion Resistant 304 Grade Stainless Steel
Finishing	Mirror finished inner and external surface SS 304 L
All Piping	SS 304 L Grade
Door	Singel or Double Doors SS 304 L
Insulation	Glass wool fiber 100mm
Sterilization Period	25 to 35 Mintues
Steam Exhaust	5 to 7 Mintues
Dry	5 to 10 Mintues
Chamber Condensate line	Fitted with steam trap & NRV Valve
Hydraulic testerd	On 45 PSI



# CURAVET PHARMA

## Vertical autoclave

MODEL NO: CP-SSV-100

### DESCRIPTION

The inner chamber is made of SS 304/316, and the complete unit is constructed of SS 304 and is triple walled. The jacket outside the inner chamber is made of SS 304. The unit is complete in all respect with an automatic water inlet valve, temperature controller cum indicator, pressure stat, automatic water level indicator, and mechanical timer.

### CONSTRUCTION AND SALIENT FEATURES

- Inner made of stainless steel and outer made of S.S
- Supporting Ring & Legs are made up of S.S.
- Heater cover with stand.
- Bucket are made of Stainless Steel Sheet.
- Lid is made of thick machined S.S. plate lined with Stainless Steel from inside.
- Lid is fitted with Pressure Gauge, Spring Loaded Safety Valve, Manual exhaust Valve, and water level indicator.
- Drain Valve facilitate easy cleaning of the chamber.
- Fitted with silicon rubber gasket
- All internal joints are argon arc welded.
- Pressure Control Switch and Low Water Level Cut-O system for general safety of the element.
- Operating range from 15psi to 22psi pressure.
- To work on 220/230 Volts, 50/60Hz AC supply.

### OPTIONS

→ PLC Controller Provider

→ Double wall / Triple Wall.



### Size

MODEL/SIZE OF INNER CHAMBER	CAPACITY	LOAD
GS-SSV-250X450MM	22 LITERS	2.00 10/V
GS-SSV-300X500MM	40 LITERS	3.00 10/V
GS-SSV-350X550MM	50 LITERS	3.00 10/V
GS-SSV-400X600MM	78 LITERS	4.00 10/V
GS-SSV-450X600MM	98 LITERS	6.00 10/V
GS-SSV-550X750MM	250 LITERS	6.00 10/V

Extra for Digital Timer

Extra for Automatic Water Control



# CURAVET PHARMA

## ULTRA LOW DEEP FREEZER

MODEL NO: CP-SSV-100

### DESCRIPTION

#### TECHNICAL MATRIX : (Deep freezer)

Deep freezer Country of Origin: Made in India

Brand: Premier technologies Working Size: 500 Liter

- Ultra lowtemperatures  
verticallaboratoryfreezer(-80)specification  
,temparature range -80 c,in built stabilizer ,energy  
saver vertical door,inbuilt4/5 level  
compartment,sensor fault alarm,automatic defrost  
operation , dimension (L\*W\*H) 785\*1041\*1947  
milimeter(mm) weight(kg) 247 kilogram (kg)

### OPTIONS

- Warranty: 1 for any manufacturing defects.
- Installation: Extra as Applicable
- Pack. & Forwarding Charge: Extra as per actuals
- Annual Maintenance Contract (AMC)  
5%



# CURAVET PHARMA

## Hard Top Freezer, 484 litres, Convertible, White


MODEL NO.: CF3-500MPW

### DESCRIPTION

1. **Convertible Series:** Convertible series offers temperature range of  $-24^{\circ}\text{C}$  to  $+8^{\circ}\text{C}$  to freeze or cool a wide variety of items.
2. **Corrosion-resistant body:** Corrosion resistant body made of pre coated sheet makes the deep freezer durable thus giving a longer life to the machine
3. **Eco-friendly refrigerant:** Reduces carbon footprint and thus helps to reduce global warming contributing to a sustainable future
4. **Twin door models:** eliminates cooling loss in larger capacity models by providing individual access separate cabinets
5. **Heavy duty casters:** heavy duty casters for easy mobility to reposition or relocate the freezers



Product	164.7D x 67.8W x
Brand	Blue Star
Model Name	CF3-500MPW
Colour	white
Door Material	Stainless Steel



# CURAVET PHARMA

## Chiller Ice Box with Vent Lid

MODEL NO.: CP-ICB-20

### DESCRIPTION

- Color: Blue, Material: Plastic
- Package Contents: 1 x Insulated Chiller Ice Box With Vent Lid
- Package contents: 1-piece chiller ice box (50 l)
- Made in india- ample of storage capacity with high insulation to keep ice cool for longer hours
- Outer dimension: 62.5 x 36 x 35.5cm
- Elegant, strong and collapsible handle with tough construction for long term use
- Available in 5 sizes (6, 14, 25, 50, 60 l) and colours blue/red



Capacity	50 litres
Item Dimensions D x W x H	35.6D x 61W x 35.6H Centimeters
Item Weight	4400 Grams
Chamber Height	35.5 Centimetres



# CURAVET PHARMA

## Flexible Digital Thermometer

MODEL NO.: CP-THP-40

### DESCRIPTION

- **Waterproof Flexible Digital Thermometer, Quick & Instant Measurement of Oral & Underarm with Accurate Temperature in Celsius & Fahrenheit | Thermometer for Adults, Kids & Babies**
- **WATERPROOF DESIGN:** This thermometer is waterproof, making it easy to clean and sanitize after each use. Simply rinse it under water for hassle-free maintenance and improved hygiene.
- **FLEXIBLE TIP:** The soft, flexible tip ensures a comfortable and gentle experience, especially for young children and sensitive individuals. It molds to the shape of the body for a more accurate and pleasant temperature reading.
- **FAST & ACCURATE READINGS:** Get reliable, precise temperature measurements in just seconds, allowing you to monitor your health or your loved ones quickly and confidently.
- **Celsius & Fahrenheit MODE:** With the ability to switch between Celsius and Fahrenheit, this thermometer accommodates a wide range of preferences and requirements, ensuring versatility for all users.
- **VERSATILE USAGE:** Whether you need to take an oral, underarm, or rectal temperature, this thermometer's design makes it suitable for a variety of uses, ensuring accurate readings for people of all ages.



# CURAVET PHARMA

## LONG STEM LACTOMETER

MODEL NO.: CP-THP-50

### DESCRIPTION

- Glass Body with Test Tube & Meter
- Used for measuring the amount of water in the milk you drink
- Light Weight & Easy To use
- Show purity of milk within a minute
- Combo of 1 pc Lactometer and 1pc Cylindrical

100 ML Jar



### Steps to Check Adulteration in Milk

1. Pour Milk in The Jar Provided.

2. Dip the Lactometer in the Jar.

3. Now Check The Level of Lactometer dipped in Milk and Know the Amount Of Adulteration In Milk.



Lactometer Dipped Level	100 % Water 0 % Milk
Lactometer Dipped Level	75 % Water 25 % Milk
Lactometer Dipped Level	50 % Water 50 % Milk
Lactometer Dipped Level	25 % Water 75 % Milk
Lactometer Dipped Level	100 % Milk 0% water

Easily Check  
Water  
Adultration  
in Milk  
at Home

OutputCap	100 ML
Unit Count	1.00 Set
Item	250 Grams
Item	8W x 8H
Number of	3

# Thank You.!!

The logo for Curavet, featuring the word "curavet" in white lowercase letters with a yellow triangle above the 'v', set against a teal, rounded, organic shape.

curavet

## CONTACT US

Registered Office :

:A5,HELIPADROAD, NEAR KRISHALI  
CHOWK, SAHASTRADHARA ROAD,  
DEHRADUN,INDIA



Branch Office : NOIDA , DELHI ,  
AGRA



**+91 9756115156**

**+91 9528805313**

**+91 9997847202**



curavetpharma@gmail.com  
export@curavetpharma.com